

L-TMB-M002

LCD External Stainless Temperature Probe Sensor

Discontinued

A stainless-steel external temperature probe for 40° to 100°C (-40° to 212°F) range, with $\pm 0.7^\circ\text{C}$ at 20°C ($\pm 1.3^\circ\text{C}$ at 68°F) accuracy; for use with Onset H14 external input data logger.



Supported Measurements

Temperature

Features

- Range of 40° to 100°C (-40° to 212°F)
- Suitable for underwater use
- Comes with a stainless-steel probe

Contact Us

Sales (8am to 5pm ET, Monday through Friday)

- Email sales@onsetcomp.com
- Call 1-508-759-9500
- In U.S. toll free 1-800-564-4377
- Fax 1-508-759-9100

Technical Support (8am to 5pm ET, Monday through Friday)

- Contact Product Support www.onsetcomp.com/support/contact
- Call 1-508-759-9500
- In U.S. toll free 1-877-564-4377

Onset Computer Corporation
470 MacArthur Boulevard
Bourne, MA 02532

LCD External Stainless Temperature Probe Sensor (L-TMB-M002) Specifications

Temperature Measurement Range: -40° to 100°C (-40° to 212°F)

Temperature Accuracy: $\pm 0.7^{\circ}\text{C}$ at 20°C ($\pm 1.3^{\circ}\text{C}$ at 68°F)

Resolution: 0.4° at 25°C (0.7° at 77°F)

Response Time to 90%: <3 min in air flow of 1 meter per second; 15 sec typical in stirred water

Dimensions: 0.3 x 10.2 cm (0.12 x 4 in.)