

SD-MA-420

## Self-Describing 4 to 20 mA Input Cable Sensor

For use with HOBO MX1104 and MX1105 Multi-Channel Data Loggers, this 4-20 mA input cable offers integrated strain relief to keep it connected to the logger, and it features Self-Describing technology to automatically communicate configuration information to the logger.



### Supported Measurements

4-20mA

### Features

- Self-Describing technology for quick, easy setup
- Locking jack to ensure cable is connected and stays connected
- Measurement range of 0 to 20.1 mA
- Accuracy of  $\pm 0.001$  mA  $\pm$  0.2.% of absolute current
- Cable length: 182.88 cm (72 in)

### Contact Us

Sales (8am to 5pm ET, Monday through Friday)

- Email [sales@onsetcomp.com](mailto:sales@onsetcomp.com)
- Call 1-508-759-9500
- In U.S. toll free 1-800-564-4377
- Fax 1-508-759-9100

Technical Support (8am to 5pm ET, Monday through Friday)

- Contact Product Support [www.onsetcomp.com/support/contact](http://www.onsetcomp.com/support/contact)
- Call 1-508-759-9500
- In U.S. toll free 1-877-564-4377

Onset Computer Corporation  
470 MacArthur Boulevard  
Bourne, MA 02532

# Self-Describing 4 to 20 mA Input Cable Sensor (SD-MA-420) Specifications

<b>Measurement Range</b>	0 to 20.1 mA
<b>Accuracy</b>	$\pm 0.001$ mA $\pm 0.2\%$ of absolute current
<b>Resolution</b>	0.002% of full scale
<b>Cable Length</b>	182.88 centimeters (72 inches)